



AMENDMENTS TO THE CLAIMS

1. (Original) A curable composition comprising
 - (A) a polyfluorodialkenyl compound having at least two alkenyl radicals in a molecule,
 - (B) a fluorinated organohydrogensiloxane having at least two hydrogen atoms each attached to a silicon atom in a molecule,
 - (C) a platinum group compound,
 - (D) a hydrophobic silica powder, and
 - (E) an organosiloxane having a hydrogen atom attached to a silicon atom and an organic radical attached to a silicon atom in a molecule, the organic radical being represented by the general formula (1):




wherein R^1 is an alkoxy radical of 1 to 4 carbon atoms or an alkyl radical of 1 to 4 carbon atoms, R^2 is hydrogen or methyl, and "a" is an integer of 2 to 10.

2. (Currently amended) The curable composition of claim 1 wherein component (A) comprises a branched polyfluorodialkenyl compound of the following general formula (2):




wherein X is a divalent radical represented by $-\text{CH}_2-$, $-\text{CH}_2\text{O}-$, $-\text{CH}_2\text{OCH}_2-$ or $-\text{Y}-\text{NR}^3-\text{CO}-$ wherein Y is a divalent radical represented by $-\text{CH}_2-$ or




and R³ is hydrogen or a substituted or unsubstituted monovalent hydrocarbon radical,

X' is a divalent radical represented by $-\text{CH}_2-$, $-\text{OCH}_2-$, $-\text{CH}_2\text{OCH}_2-$ or $-\text{CO-NR}^3-\text{Y}'-$ wherein Y' is a divalent radical represented by $-\text{CH}_2-$ or



and R³ is as defined above, "b" is independently equal to 0 or 1, Rf¹ is a divalent radical having the general formula (i):



wherein p and q each are an integer of 1 to 150, the sum of p and q on average is 2 to 200, r is an integer of 0 to 6, and t is 2 or 3, or the general formula (ii):



wherein u is an integer of 1 to 200, v is an integer of 1 to 50, and t is as defined above.

3. (Original) The curable composition of claim 1 wherein the fluorinated organohydrogenpolysiloxane (B) has at least one monovalent perfluoroalkyl, monovalent perfluoroxyalkyl, divalent perfluoroalkylene or divalent perfluoroxyalkylene radical in a molecule.

4. (Original) The curable composition of claim 1 wherein the organosiloxane (E) further has at least one monovalent perfluoroalkyl or monovalent perfluoroxyalkyl radical attached to a silicon atom through a carbon atom.